


Pulmonary Hypertension (PH) Screening Guidelines for NICU infants with Bronchopulmonary Dysplasia (BPD)

BPD-PH Screening Algorithm



BPD-PH Screening Guidelines:

Criteria for BPD-PH Screening:

- For infants born <29 weeks gestation, ECHO at 4 weeks of life if on respiratory support.
- For infants born between 29 and 32 weeks gestation, ECHO at 36 weeks CGA if infant on respiratory support (O2 and/or flow).

Ordering a BPD-PH ECHO:

- Schedule all BPD-PH screening ECHOs for Tuesdays
- In comments, provide a brief patient description and include dot phrase .PHECHOINDICATION
- Notify Lindsey Scott-Hurban, NNP via Secure Chat or Tiger Text when ordering BPD-PH screening ECHOs. Once PH Team is involved, notify Brian Goudy, MD for all ECHO orders.
- List Brian Goudy, MD as the Cardiologist Consulted.

ECHO findings of PH:

- Estimated RV pressure \geq 50% of systemic pressure
- Intracardiac shunt with bidirectional or R to L flow (PDA, ASD/PFO, VSD)
 - Moderate to Severe IVS flattening
 - Mild IVS flattening with additional PH findings
 - PAAT:RVET ratio <0.3
 - Abnormal TASPE

If there is evidence of pulmonary hypertension on ECHO, notify Brian Goudy, MD and place a formal Pediatric Pulmonary Hypertension consult.

Discharge Considerations:

- For infants discharging home on O2 support with no evidence of PH on inpatient ECHO, recommend repeating the ECHO at 4-6 months of life if unable to wean off O2 support.

BPD-PH Screening Guidelines

Criteria for BPD-PH Screening:

- Infants born less than 29 weeks gestation, obtain the first BPD-PH screening ECHO at 4 weeks of life if infant remains on respiratory support.
- Infants born between 29 and 32 weeks gestation, obtain a BPD-PH screening ECHO at 36 weeks CGA if infant remains on respiratory support.

Ordering BPD-PH Screening ECHOs:

- Schedule all BPD-PH screening ECHOs for Tuesdays.
- In the ECHO comments, provide a brief description of the patient and include the dot phrase .PHECHOINDICATION
- Notify Lindsey Scott-Hurban, NNP via secure chat or Tiger Text when ordering BPD-PH screening ECHOs. Once the PH Team is involved, notify Brian Goudy, MD of all PH ECHO orders.
- List Brian Goudy, MD as the Cardiologist consulted.

ECHO findings of PH:

- Estimated RV pressure greater than or equal to 50% of the systemic pressure
- Intracardiac shunt with bidirectional or right to left flow (PDA, ASD/PFO, VSD)
- Moderate to severe intraventricular septal (IVS) flattening
- Mild IVS flattening with additional PH findings
- PAAT:RVET ratio less than 0.3
- Abnormal TAPSE

PH Follow Up:

- If there is evidence of pulmonary hypertension on ECHO, notify Brian Goudy, MD and place a formal Pediatric Pulmonary Hypertension consult.
- Obtain weekly NT-Pro BNP.
- Repeat ECHO in 2 weeks or per PH Team recommendations.

References:

Hansmann, G., Sallmon, H., Roehr, C. C., Kourembanas, S., Austin, E. D., & Köestenberger, M. (2020). Pulmonary hypertension in bronchopulmonary dysplasia. *Pediatric Research*, 89(3), 446–455.

Krishnan, U., Feinstein, J. A., Adata, I., Austin, E. D., Mullen, M. P., Hopper, R. K., Hanna, B. D., Romer, L., Keller, R. L., Fineman, J. R., Steinhorn, R. H., Kinsella, J. P., Ivy, D. D., Rosenzweig, E. B., Raj, U., Humpl, T., & Abman, S. H. (2017). Evaluation and Management of



Pulmonary Hypertension in Children with Bronchopulmonary Dysplasia. *The Journal of Pediatrics*, 188, 24-34.e1.

Levy, P., Levin, J. C., Leeman, K. T., Mullen, M. P., Hansmann, G., & Kourembanas, S. (2022). Diagnosis and management of pulmonary hypertension in infants with bronchopulmonary dysplasia. *Seminars in Fetal and Neonatal Medicine*, 27(4), 101351.

Medical Legal Disclaimer:

Welcome to the UC Davis Health, Department of Pediatrics, Clinical Practice Guidelines Website. All health and health-related information contained within the Site is intended chiefly for use as a resource by the Department's clinical staff and trainees in the course and scope of their approved functions/activities (although it may be accessible by others via the internet).

This Site is not intended to be used as a substitute for the exercise of independent professional judgment. These clinical pathways are intended to be a guide for practitioners and may need to be adapted for each specific patient based on the practitioner's professional judgment, consideration of any unique circumstances, the needs of each patient and their family, and/or the availability of various resources at the health care institution where the patient is located. Efforts are made to ensure that the material within this Site is accurate and timely but is provided without warranty for quality or accuracy. The Regents of the University of California; University of California, Davis; University of California, Davis, Health nor any other contributing author is responsible for any errors or omissions in any information provided or the results obtained from the use of such information. Some pages within this Site, for the convenience of users, are linked to or may refer to websites not managed by UC Davis Health. UC Davis Health does not control or take responsibility for the content of these websites, and the views and opinions of the documents in this Site do not imply endorsement or credibility of the service, information or product offered through the linked sites by UC Davis Health. UC Davis Health provides limited personal permission to use the Site. This Site is limited in that you may not:

- Use, download or print material from this site for commercial use such as selling, creating course packets, or posting information on another website.
- Change or delete propriety notices from material downloaded or printed from it. · Post or transmit any unlawful, threatening, libelous, defamatory, obscene, scandalous, inflammatory, pornographic, or profane material, any propriety information belonging to others or any material that could be deemed as or encourage criminal activity, give rise to civil liability, or otherwise violate the law.
- Use the Site in a manner contrary to any applicable law.

You should assume that everything you see or read on this Site is copyrighted by University of California or others unless otherwise noted. You may download information from this Site as long as it is not used for commercial purposes, and you retain the proprietary notices. You may not use, modify, make multiple copies, or distribute or transmit the contents of this Site for public or commercial purposes without the express consent of UC Davis Health.